	IIG109: Metod 2 och projekt, 15 hp, VI 2024
	Delkurs 2: Statistisk analys av data, 6 hp
	OMTENTAMEN
	Frågorna är av typerna: ett korrekt svarsalternativ bland fyra möjliga och sant/falskt. Frågorna är formulerade på engelska.
	Maxpoäng är 38, gränsen för Godkänt är 23 och för Väl godkänt 33 poäng.
	Tillåtet hjälpmedel: tryckt engelskt lexikon (utan anteckningar)
i	Multie-choice questions
	Please choose the best alternative.
1	The tells us approximately how far scores vary from the mean on the average. Välj ett alternativ:
	 standard error of the mean
	o sum of squared deviations
	○ range
	 standard deviation

Totalpoäng: 1

i

2	To help interpret the effect size measure, <i>d</i> , the statistician J. Cohen classified effect sizes as small, medium, and large. According to Cohen, a medium effect size corresponds to a <i>d</i> ratio of Välj ett alternativ :
	O .50
	○ .80
	O .05
	○ . 20
	Totalpoäng:
3	The confidence interval for a population mean is centered around Välj ett alternativ:
	the estimated standard error.
	the standard error of the mean.
	○ the sample mean
	○ the true population mean.
	Totalpoäng:
4	When interpreting confidence intervals for a difference between two means, if zero is in the interval we should conclude that Välj ett alternativ:
	there is definitely no difference between the population means
	the confidence interval is incorrectly calculated.
	the population means are different.
	we are uncertain about whether the population means differ

5	The score appearing most frequently in a distribution is called the Välj ett alternativ:	
	O median.	
	frequency.	
	O mode.	
	o mean.	
		Totalpoäng: 1
6	A measure of effect size that is appropriate when we are comparing two means is Välj ett alternativ:	
	○ Cohen's d	
	partial eta squared	
	eta squared	
	O phi	
		Totalpoäng: 1
7	When interpreting confidence intervals when there are three or more means, if two intervals do not overlap, we may conclude that Välj ett alternativ:	or more
	the population means do not differ.	
	the population standard deviations differ.	
	the population means differ.	
	the true population mean difference is zero.	

8	The magnitude or degree of a correlation will increase as points in a scatterplot Välj ett alternativ:
	○ are spread out.
	 first increase, then decrease.
	ocorrespond to the x- and y-axis.
	orrespond to a straight line.
	Totalpoäng: 1
9	A major reason why we may not make causal conclusions based only on correlational evidence is that a correlation between two variables Välj ett alternativ:
	is never about variables that are causally related.
	cannot be calculated for causally related variables.
	is likely to be in error.
	may be due to a third variable.
	Totalpoäng: 1
10	Outliers in experimental data Välj ett alternativ:
	may be deleted depending on the type of experiment.
	should never be deleted.
	should always be deleted if they lie outside of 1.5 times the interquartile range.
	should always be deleted.

11	A variable with the possible values "male" and "female" uses the measurement scale Välj ett alternativ:
	ordinal.
	ratio.
	O nominal.
	interval.
	Totalpoäng: 1
12	Null hypothesis significance testing begins with the assumption that the performance of two or more groups Välj ett alternativ:
	O does not differ.
	odiffers only slightly.
	○ differs at a value of p < .05.
	○ differs significantly.
	Totalpoäng: 1
13	A statistically significant outcome is one that has a small likelihood of occurring if the null hypothesis is Välj ett alternativ:
	○ false.
	unlikely.
	accepted.
	○ true.

14	A Type I error arises when we Välj ett alternativ:	
	○ fail to reject a false null hypothesis.	
	oreject a true null hypothesis.	
	○ fail to reject a true null hypothesis.	
	oreject a false null hypothesis.	
		Totalpoäng: 1
15	The likelihood that an experiment will reveal the effect of an independent variable independent variable really had an effect refers to an experiment's Välj ett alternativ:	when the
	○ alpha level.	
	significance.	
	sensitivity.	
	O level of significance.	
		Totalpoäng: 1
16	A simple main effects analysis examines the effect of one independent variable Välj ett alternativ :	
	○ in a single factor design.	
	ofor all other independent variables.	
	at one level of a second independent variable.	
	across all levels of another independent variable.	

17	A Type II error arises when we Välj ett alternativ:	
	oreject a true null hypothesis.	
	fail to accept a true null hypothesis.	
	○ fail to reject a false null hypothesis.	
	accept a true null hypothesis.	
		Totalpoäng: 1
18	The probability of a Type I error can be reduced by Välj ett alternativ:	
	○ changing alpha from .05 to .10.	
	○ changing alpha from .05 to .01	
	accepting the null hypothesis.	
	 decreasing the probability of a Type II error. 	
		Totalpoäng: 1
19	When conducting an analysis of variance, we assume that any systematic variation effect of the independent variable is added to Välj ett alternativ:	due to the
	○ the denominator of the F ratio.	
	O the null hypothesis.	
	O between-group variation.	
	within-group variation.	

20	When an analysis of variance reveals a statistically significant interaction effect between two independent variables in an experiment, the researcher knows the systematic variation between groups for the interaction effect is reliably Välj ett alternativ:
	 all of the alternatives.
	the effect size for the finding will be at least medium.
	greater than the within group error variation.
	the pattern of means supports the research hypothesis.
	Totalpoäng: 1
21	A mixed design is a complex design where one independent variable represents an independent groups design (random groups or natural groups) and another independent variable represents Välj ett alternativ :
	 the correlational design.
	○ a variable with only two levels.
	the repeated measures design.
	a variable with more than three levels.
	Totalpoäng: 1

22	The Chi square test of independence involves Välj ett alternativ:	
	○ one nominal variable and one interval variable.	
	one nominal variable and two or more interval variables.	
	○ two interval variables.	
	 two nominal variables. 	
		Totalpoäng: 1
23	Which problem is likely to arise when performing many pairwise comparisons of medical values of the value of	neans?
	○ Low power	
	○ Type II error	
	○ Type I error	
	Sphericity	
		Totalpoäng: 1
24	What is the primary factor that researchers use to control <i>power</i> ? Välj ett alternativ:	
	the level of statistical significance	
	○ effect size	
	○ Type II error	
	○ sample size	

25	Why is a repeated measures design likely to be more sensitive than a random groups design?
	Välj ett alternativ:
	Confounding variables are eliminated
	 Individual variation is eliminated
	It has more participants
	 It contains more measurements
	Totalpoäng: 1
26	An outcome that is not statistically significant in an independent design with two groups Välj ett alternativ:
	shows that there are no difference between the groups.
	shows that the independent variable did not have an effect.
	Odoes not support the conclusion that the independent variable had an effect.
	shows that the power was too low.
	Totalpoäng: 1
27	What is a reason a researcher uses a non-parametric statistical test to test the difference between two groups? Välj ett alternativ:
	The assumptions of the t test are not met
	The correlation between groups is weak
	The difference between means is expected to be small
	The dependent variable is measured on an interval scale

Analysis case

Read the description of the following case and its results and answer the questions that follow with True or False.

Experimental design: Independent groups: Fictionality (fact/fiction) x Story Emotional Valence (positive/negative)

Table 2

Mean Ratings of Memory Qualities for Study 1

Measure	Fact		Fiction			
	Positive	Negative	Total	Positive	Negative	Total
Clarity	4.32	4.43	4.38	3.95	4.31	4.14
	(1.52)	(1.67)	(1.59)	(1.6)	(1.68)	(1.64)
Colour	4.55	4	4.27	3.51	4.29	3.92
	(1.65)	(2.09)	(1.89)	(1.61)	(1.73)	(1.71)
Visual details	3.91	4	3.96	3.83	4.02	3.93
	(1.77)	(1.83)	(1.78)	(1.7)	(1.66)	(1.67)
Other senses	2.36	1.87	2.11	2.15	2.27	2.21
	(1.68)	(1.14)	(1.43)	(1.49)	(1.72)	(1.61)
Emotional valence	4.14	3	3.56	4.56	3.38	3.94
	(1.39)	(1.28)	(1.44)	(1.34)	(1.3)	(1.44)
Emotional intensity	3.59	3.48	3.53	2.88	3.56	3.23
	(1.76)	(1.75)	(1.74)	(1.58)	(1.7)	(1.67)
Bodily reaction	2.18	2.17	2.18	1.85	1.96	1.91
HT	(1.5)	(1.44)	(1.45)	(1.2)	(1.59)	(1.41)

Note. Standard deviations within parentheses.

Outcomes of statistical analyses

Three separate 2 (Fictionality) x 2 (Story emotional valence) ANOVAs were carried out for the dependent variables clarity, colour, and emotional valence.

Test of interaction between fictionality and story emotional valence, for clarity:

$$F(1, 127) = 1.66, p = .69, \eta^2_p = .001$$

Test of interaction between fictionality and story emotional valence, for colour:

$$F(1, 127) = 4.21, p = .042, \eta^2_p = .032$$

Negative stories were rated as being more in colour than positive stories, p = .042, $M_{\text{diff}} = .78$, 95% Cl_{diff} [.029, 1.52]

Test of main effect of story emotional valence, for emotional valence:

$$F(1, 127) = 22.58, p < .001, \eta^2_p = .15$$

There is a main effect of fictionality, for clarity Välj ett alternativ:
○ Sant
○ Falskt
There is a main effect of fictionality, for colour Välj ett alternativ
○ Sant
○ Falskt
There is a main effect of fictionality, for emotional valence Välj ett alternativ
○ Sant
○ Falskt
There is a main effect of story emotional valence, for clarity Välj ett alternativ
○ Sant
○ Falskt
There is a main effect of story emotional valence, for colour Välj ett alternativ
○ Sant
○ Falskt
There is a main effect of story emotional valence, for emotional valence Välj ett alternativ
○ Sant
○ Falskt

28 Based on the analyses above, which effects are statistically significant?

There is an interaction effect between fictionality and story emotional valence for clarity

Valj ett alternativ
○ Sant
○ Falskt
There is an interaction effect between fictionality and story emotional valence for colour Välj ett alternativ
○ Sant
○ Falskt
There is an interaction effect between fictionality and story emotional valence for emotional valence Välj ett alternativ
○ Sant
○ Falskt
Is it true that a Type I error may have occurred in the analyses? Välj ett alternativ
○ Sant
○ Falskt
Is it true that a Type II error may have occurred in the analyses? Välj ett alternativ
○ Sant
○ Falskt

Totalpoäng: 11